

CLAIMS

We claim:

1. A communications system for communicating between an information provider and a user, comprising:
  - (A) a client computer system, wherein said client computer system is a digital computer;
  - (B) a local area network connected to said client computer system;
  - (C) a server computer connected to said local area network to provide a means of communicating between said local area network and one or more external communication channels;
  - (D) a satellite communication channel connected to said server computer by a radio frequency link; and
  - (E) an information provider connected to one or more external communication channels for the purpose of providing information to one or more said client computer systems.
2. A communication system for communicating between an information provider and a user as recited in claim 1, wherein said client computer system is a personal computer.
3. A communication system for communicating between an information provider and a user as recited in claim 1, wherein said client computer system is a Macintosh computer.
4. A communication system for communicating between an information provider and a user as recited in claim 1, wherein said client computer system is a computer workstation.
5. A communication system for communicating between an information provider and a user



- 1 14. A communication system for communicating between an information provider and a user,  
2 as recited in claim 1, wherein said client computer system has an OS/2 operating system.
- 3 15. A communications system for communicating between an information provider and a  
4 user, as recited in claim 1, wherein said local area network is a IPX network.
- 5 16. A communications system for communicating between an information provider and a  
6 user, as recited in claim 1, wherein said local area network is a IP network.
- 7 17. A communications system for communicating between an information provider and a  
8 user, as recited in claim 1, wherein said information provider is an internet service  
9 provider.
- 10 18. A communications system for communicating between an information provider and a  
11 user, as recited in claim 1, wherein said information provider is a software distributor.
- 12 19. A communications system for communicating between an information provider and a  
13 user, as recited in claim 1, further comprising: a modem electrically connected to said  
14 server computer to transmit data electronically to a telephone land line.
- 15 20. A process for asymmetrically communicating between an information service provider  
16 and a user, comprising:
- 17 (A) receiving data from said information service provider by a satellite  
18 communications channel; and
- 19 (B) conveying said received data across a local area network to one or more digital  
20 computer systems.
- 21 21. A process for asymmetrically communicating between an information service provider  
22 and a user, as recited in claim 20, further comprising:

1 (C) generating a request from said one or more digital computer systems to said  
2 information service provider.

3 22. A process for asymmetrically communicating between an information service provider  
4 and a user, as recited in claim 20, further comprising:

5 (D) conveying said generated request to said information service provide by a land  
6 line communication channel.

7 23. A process for asymmetrically communicating between an information service provider  
8 and a user, as recited in claim 20, further comprising:

9 (D) conveying said generated request to said information service provide by a satellite  
10 communication channel.

11 24. A process for asymmetrically communicating between an information service provider  
12 and a user, as recited in claim 20, further comprising:

13 (D) conveying said generated request to said information service provide by a wireless  
14 communication channel.

15 25. A process for asymmetrically communicating between an information service provider  
16 and a user, as recited in claim 20, further comprising:

17 (D) conveying said generated request to said information service provide by a routed  
18 communication channel.

19 26. A process for asymmetrically communicating between an information service provider an  
20 a user, as recited in claim 20, further comprising: receiving data from said satellite  
21 communications channel into computer hardware memory.

22 27. A process for asymmetrically communicating between an information service provider an

1 a user, as recited in claim 20, further comprising: checking to determine if said received  
2 data has an IP format.

3 28. A process for asymmetrically communicating between an information service provider  
4 and a user, as recited in claim 20, further comprising: checking to determine if said  
5 received data has a packetized format.

6 29. A process for asymmetrically communicating between an information service provider  
7 and a user, as recited in claim 20, wherein said one or more digital computer systems are  
8 connected electrically by a local area network.

9 30. A method for controlling the transfer of information between an information service  
10 provider and a user, comprising:

11 (A) receiving data from said information service, wherein said received data has a  
12 protocol identifier;

13 (B) determining the protocol of said received data; and

14 (C) delivering said data according to said protocol of said received data to a client  
15 computer.

16 31. A method for controlling the transfer of information between an information service  
17 provider and a user, as recited in claim 30, further comprising:

18 (D) receiving a return packet of data from said client computer.

19 32. A method for controlling the transfer of information between an information service  
20 provider and a user, as recited in claim 31, further comprising:

21 (E) delivering said returned packet of data from said client computer to said  
22 information service provider.

- 1 33. A computer program to manage communications between an information service  
2 provider and a user, comprising:
- 3 (A) a routine for receiving information from said information service;  
4 (B) a routine for testing said received information to determine the source of said  
5 information;  
6 (C) a routine for delivering said received information to a digital computer system.
- 7 34. A computer program to manage communications between an information service  
8 provider and a user, as recited in claim 33, further comprising: a routine for determining  
9 an age value for said received information.
- 10 35. A computer program to manage communications between an information service  
11 provider and a user, as recited in claim 33, further comprising: a routine for replacing old  
12 received information with newer received information.
- 13 36. A system for managing the communications between an information service provider and  
14 a user, comprising:
- 15 (A) a digital computer system connected to a local area network;  
16 (B) a first interface device for communicating between said local area network and a  
17 satellite communication channel;  
18 (C) a first connection between said satellite communication channel and a source of  
19 information;  
20 (D) a second connection between said land line communication channel and a source  
21 of information; and  
22 (E) a means for controlling the flow of information between said digital computer

1 system and said source of information.

2 37. A system for managing the communications between an information service provider and  
3 a user, as recited in claim 36 further comprising a second interface device for  
4 communicating between said local area network and a land line.

5 38. A system for managing the communications between an information service provider and  
6 a user, as recited in claim 36 further comprising a second interface device for  
7 communicating between said local area network and a wireless channel.

8 39. A system for managing the communications between an information service provider and  
9 a user, as recited in claim 36 further comprising a second interface device for  
10 communicating with said local area network to a satellite.

11 40. A system for managing the communications between an information service provider and  
12 a user, as recited in claim 36 further comprising a second interface device for  
13 communicating with said local area network to a routed channel.